



ZODZ2.E48414 Positioning Devices - Component

[Page Bottom](#)

Positioning Devices - Component

[See General Information for Positioning Devices - Component](#)

TEHALIT GMBH

E48414

SEEBERGSTRASS 37
67716 HELTERSBERG, GERMANY

Positioning Devices Investigated to ANSI/UL 1565

Catalog No.	Maximum Use Temp °C(°F)
Plastic Wiring Ducts (gray color) "BA7 Series"	
BA7 100060	50 (122)
BA7 100080	50 (122)
BA7 100100	50 (122)
BA7 25025	50 (122)
BA7 25040	50 (122)
BA7 40025	50 (122)
BA7 40040	50 (122)
BA7 40060	50 (122)
BA7 40080	50 (122)
BA7 40100	50 (122)
BA7 60025	50 (122)
BA7 60040	50 (122)
BA7 60060	50 (122)
BA7 60080	50 (122)
BA7 60100	50 (122)
BA7 60120	50 (122)
BA7 80025	50 (122)
BA7 80040	50 (122)
BA7 80060	50 (122)
BA7 80080	50 (122)
BA7 80100	50 (122)
BA7 80120	50 (122)
Plastic Wiring Ducts (all color) "BA7A Series"	
BA7A 100030	50 (122)
BA7A 100040	50 (122)
BA7A 100060	50 (122)
BA7A 100080	50 (122)
BA7A 100100	50 (122)
BA7A 25025	50 (122)
BA7A 25040	50 (122)

BA7A 25080	50 (122)
BA7A 40025	50 (122)
BA7A 40030	50 (122)
BA7A 40040	50 (122)
BA7A 40060	50 (122)
BA7A 40080	50 (122)
BA7A 40100	50 (122)
BA7A 60025	50 (122)
BA7A 60030	50 (122)
BA7A 60040	50 (122)
BA7A 60060	50 (122)
BA7A 60080	50 (122)
BA7A 60100	50 (122)
BA7A 60120	50 (122)
BA7A 80025	50 (122)
BA7A 80030	50 (122)
BA7A 80040	50 (122)
BA7A 80060	50 (122)
BA7A 80080	50 (122)
BA7A 80100	50 (122)
BA7A 80120	50 (122)
Plastic Wiring Ducts (gray color) "BA7B Series"	
BA7B 100030	50 (122)
BA7B 100040	50 (122)
BA7B 100060	50 (122)
BA7B 100080	50 (122)
BA7B 100100	50 (122)
BA7B 25025	50 (122)
BA7B 25040	50 (122)
BA7B 25080	50 (122)
BA7B 40025	50 (122)
BA7B 40030	50 (122)
BA7B 40040	50 (122)
BA7B 40060	50 (122)
BA7B 40080	50 (122)
BA7B 40100	50 (122)
BA7B 60025	50 (122)
BA7B 60030	50 (122)
BA7B 60040	50 (122)
BA7B 60060	50 (122)
BA7B 60080	50 (122)
BA7B 60100	50 (122)
BA7B 60120	50 (122)
BA7B 80025	50 (122)
BA7B 80030	50 (122)


BA7B 80040	50 (122)
BA7B 80060	50 (122)
BA7B 80080	50 (122)
BA7B 80100	50 (122)
BA7B 80120	50 (122)
PVC Wiring Ducts (all color) "BA8A Series"	
BA8A 100030	50 (122)
BA8A 100040	50 (122)
BA8A 100060	50 (122)
BA8A 100080	50 (122)
BA8A 100100	50 (122)
BA8A 25025	50 (122)
BA8A 25040	50 (122)
BA8A 25080	50 (122)
BA8A 40025	50 (122)
BA8A 40030	50 (122)
BA8A 40040	50 (122)
BA8A 40060	50 (122)
BA8A 40080	50 (122)
BA8A 40100	50 (122)
BA8A 60025	50 (122)
BA8A 60030	50 (122)
BA8A 60040	50 (122)
BA8A 60060	50 (122)
BA8A 60080	50 (122)
BA8A 60100	50 (122)
BA8A 60120	50 (122)
BA8A 80025	50 (122)
BA8A 80030	50 (122)
BA8A 80040	50 (122)
BA8A 80060	50 (122)
BA8A 80080	50 (122)
BA8A 80100	50 (122)
BA8A 80120	50 (122)
PC/ABS Wiring Ducts (all color) "HA7 Series"	
HA7 100030	65 (149)
HA7 100040	65 (149)
HA7 100060	65 (149)
HA7 100080	65 (149)
HA7 100100	65 (149)
HA7 25025	65 (149)
HA7 25040	65 (149)
HA7 25080	65 (149)
HA7 40025	65 (149)
HA7 40030	65 (149)

HA7 40040	65 (149)
HA7 40060	65 (149)
HA7 40080	65 (149)
HA7 40100	65 (149)
HA7 60025	65 (149)
HA7 60030	65 (149)
HA7 60040	65 (149)
HA7 60060	65 (149)
HA7 60080	65 (149)
HA7 60100	65 (149)
HA7 60120	65 (149)
HA7 80025	65 (149)
HA7 80030	65 (149)
HA7 80040	65 (149)
HA7 80060	65 (149)
HA7 80080	65 (149)
HA7 80100	65 (149)
HA7 80120	65 (149)
PC/ABS Wiring Ducts (all color) "HNG Series"	
HNG 100037	65 (149)
HNG 25025	65 (149)
HNG 37025	65 (149)
HNG 37037	65 (149)
HNG 37050	65 (149)
HNG 50025	65 (149)
HNG 50037	65 (149)
HNG 50050	65 (149)
HNG 50075	65 (149)
HNG 50100	65 (149)
HNG 50125	65 (149)
HNG 75037	65 (149)
HNG 75050	65 (149)
HNG 75075	65 (149)
HNG 75100	65 (149)
HNG 75125	65 (149)
PPE+PS and m-PPE Wiring Ducts (all color) "HNG Series"	
HNG 100037*B	65 (149)
HNG 100037*BP	65 (149)
HNG 25025*B	65 (149)
HNG 25025*BP	65 (149)
HNG 37025*B	65 (149)
HNG 37025*BP	65 (149)
HNG 37037*B	65 (149)
HNG 37037*BP	65 (149)
HNG 37050*B	65 (149)

HNG 37050*BP	65 (149)
HNG 50025*B	65 (149)
HNG 50025*BP	65 (149)
HNG 50037*B	65 (149)
HNG 50037*BP	65 (149)
HNG 50050*B	65 (149)
HNG 50050*BP	65 (149)
HNG 50075*B	65 (149)
HNG 50075*BP	65 (149)
HNG 50100*B	65 (149)
HNG 50100*BP	65 (149)
HNG 50125*B	65 (149)
HNG 50125*BP	65 (149)
HNG 75037*B	65 (149)
HNG 75037*BP	65 (149)
HNG 75050*B	65 (149)
HNG 75050*BP	65 (149)
HNG 75075*B	65 (149)
HNG 75075*BP	65 (149)
HNG 75100*B	65 (149)
HNG 75100*BP	65 (149)
HNG 75125*B	65 (149)
HNG 75125*BP	65 (149)
PA6 Wiring Ducts (gray color)	
VK-Flex 10	65 (149)
VK-Flex 20	65 (149)
VK-Flex 30	65 (149)
VK-Flex 40	65 (149)
PVC Wiring Ducts (gray color)	
BA6 0015	65 (149)
BA6 00157030B	50 (122)
BA6 15015	65 (149)
BA6 150157030B	50 (122)
BA6 20025	65 (149)
BA6 200257030B	50 (122)
BA6 30015	65 (149)
BA6 300157030B	50 (122)
BA6 30025	65 (149)
BA6 300257030B	50 (122)
BA6 30040	65 (149)
BA6 300407030B	50 (122)
BA6 40025	65 (149)
BA6 400257030B	50 (122)
BA6 40040	65 (149)
BA6 400407030B	50 (122)

BA6 40060	65 (149)
BA6 400607030B	50 (122)
BA6 40080	65 (149)
BA6 400807030B	50 (122)
BA6 40120	65 (149)
BA6 401207030B	50 (122)
BA6 60015	65 (149)
BA6 600157030B	50 (122)
BA6 60025	65 (149)
BA6 600257030B	50 (122)
BA6 60040	65 (149)
BA6 600407030B	50 (122)
BA6 60060	65 (149)
BA6 600607030B	50 (122)
BA6 60080	65 (149)
BA6 600807030B	50 (122)
BA6 60100	65 (149)
BA6 601007030B	50 (122)
BA6 60120	65 (149)
BA6 601207030B	50 (122)
BA6 60150	65 (149)
BA6 601507030B	50 (122)
BA6 60200	65 (149)
BA6 602007030B	50 (122)
BA6 80025	65 (149)
BA6 800257030B	50 (122)
BA6 80040	65 (149)
BA6 800407030B	50 (122)
BA6 80060	65 (149)
BA6 800607030B	50 (122)
BA6 80080	65 (149)
BA6 800807030B	50 (122)
BA6 80100	65 (149)
BA6 801007030B	50 (122)
BA6 80120	65 (149)
BA6 801207030B	50 (122)
DNG 100050	65 (149)
DNG 1000507030B	50 (122)
DNG 100075	65 (149)
DNG 1000757030B	50 (122)
DNG 100100	65 (149)
DNG 1001007030B	50 (122)
DNG 20020	65 (149)
DNG 200207030B	50 (122)
DNG 20025	65 (149)

DNG 20037	65 (149)
DNG 25025	65 (149)
DNG 250257030B	50 (122)
DNG 25037	65 (149)
DNG 250377030B	50 (122)
DNG 37020	65 (149)
DNG 370207030B	50 (122)
DNG 37037	65 (149)
DNG 370377030B	50 (122)
DNG 50020	65 (149)
DNG 500207030B	50 (122)
DNG 50025	65 (149)
DNG 500257030B	50 (122)
DNG 50037	65 (149)
DNG 500377030B	50 (122)
DNG 50050	65 (149)
DNG 500507030B	50 (122)
DNG 50075	65 (149)
DNG 500757030B	50 (122)
DNG 50100	65 (149)
DNG 501007030B	50 (122)
DNG 50125	65 (149)
DNG 501257030B	50 (122)
DNG 75025	65 (149)
DNG 750257030B	50 (122)
DNG 75037	65 (149)
DNG 750377030B	50 (122)
DNG 75050	65 (149)
DNG 750507030B	50 (122)
DNG 75075	65 (149)
DNG 750757030B	50 (122)
DNG 75100	65 (149)
DNG 751007030B	50 (122)
DNG 75125	65 (149)
DNG 751257030B	50 (122)

Marking: Company name or tradename "E48414" , catalog or model number, the Recognized Component Mark,  and, if published with the product, the product's maximum and minimum operating temperature, minimum installation temperature if below 0°C, minimum and maximum bundle diameter, loop tensile strength, type designation and/or declared mechanical strength on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2017-02-14

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory

with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".