

Chinese rover finds translucent glass globules on the moon

February 25 2022, by Nancy Atkinson

Scientists say China's Yutu-2 rover, part of the Chang'E-4 mission, has found several small glass globules on the moon's far side. While tiny glass beads have been found previously in lunar samples brought back by the Apollo astronauts, the ones found by Yutu-2 are much bigger and translucent.

The discovery was made by Dr. Zhiyong Xiao, one of the lead scientific team members of the Chang'E-4 mission. They beads were found by looking at panoramic images taken by the rover. Since the rover doesn't have sampling capabilities and is not a sample return mission like it's older sibling, the Chang-E-5 mission, there is no compositional data on the glass beads, only observational evidence.

In the paper published in the *Science Bulletin*, Xiao said taking into account the location where the glass was found—in the South Pole Atkien basin at the lunar farside—and the local context of what is known about that region, they believe the beads are like most likely the result of large impacts to the moon.

The paper details the discovery of several translucent spherical and dumbbell-shaped glassy globules that range in size, but are as large as 4 centimeters (1.5 inches). They were found on the surface of the moon, and are transparent to translucent, with some exhibiting a light brownish color.

"Transparent and translucent glasses on the moon are less than 1 mm in



diameters, and larger ones are dark and opaque," the team wrote in their paper. "Hitherto discovered macro-sized glass globules on the moon (up to 4 cm in diameter) are opaque impact glass."

In the Apollo samples, tiny glass beads were found across several of the missions, but they were incredibly small, less than 1 millimeter. Studies of those beads indicated they were volcanic in origin, and they have different colors, depending on their chemical makeup. For example, scientists found green beads in lunar soil collected by astronauts on the Apollo 15 mission in 1971, and the famous "orange soil" of Apollo 17 in 1972 was colored by glass beads.

Both volcanic and impact glasses on the moon are formed by cooling of regolith that has experienced extreme heat. Glass spherules can record important information about the mantle composition and the history of both lunar volcanism and impact cratering.

In the case of the Apollo 17 orange glass, analysis back on Earth revealed <u>volcanic glass</u> formed when <u>molten lava</u> from the interior of the moon erupted, some 3 to 4 billion years ago, spewing up above the airless surface and into the vacuum of space. As the lava became exposed to the vacuum, it separated out into tiny fragments and froze, forming tiny beads of volcanic glass in orange and black colors. Later analysis revealed measurable water content in the beads.

But the glass found by Yutu-2 is different, say the researchers and they conclude that from "their unique morphology and local context suggest they are most likely impact glasses—quenched anorthositic impact melts produced during cratering events—rather than being of volcanic origin or delivered from other planetary bodies," the researchers said.

Xiao and his team predict that the glass globules would be abundant across the lunar highlands, providing promising sampling targets for



future missions that could reveal the early impact history of the moon.

Chang'e-4 launched on Dec. 8, 2018, and made a soft landing in the Von Karman Crater in the South Pole-Aitken Basin on the far side of the moon on Jan. 3, 2019. So far, Yutu-2 has traveled more than 1,000 meters.

More information: Zhiyong Xiao et al, Translucent glass globules on the Moon, *Science Bulletin* (2021). DOI: 10.1016/j.scib.2021.11.004

Provided by Universe Today

Citation: Chinese rover finds translucent glass globules on the moon (2022, February 25) retrieved 15 July 2024 from https://phys.org/news/2022-02-chinese-rover-translucent-glass-globules.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.