


# Elusive temporary star described in historical documents recreated using new computer model

July 5 2024



These images show the two shock regions of the remnant SNR 1181. The bright white at the center is the white dwarf. Credit: 2024 T. Ko, H. Suzuki, K. Kashiyama et al./ The Astrophysical Journal

A mysterious remnant from a rare type of supernova recorded in 1181 has been explained for the first time. Two white dwarf stars collided, creating a temporary "guest star," now labeled supernova (SN) 1181,

which was recorded in historical documents in Japan and elsewhere in Asia. However, after the star dimmed, its location and structure remained a mystery until a team pinpointed its location in 2021.

Now, through computer modeling and observational analysis, researchers have recreated the structure of the remnant white dwarf, a rare occurrence, explaining its double shock formation. They also discovered that high-speed [stellar winds](#) may have started blowing from its surface within just the past 20–30 years. The work has been [published](#) in *The Astrophysical Journal*.


This finding improves our understanding of the diversity of [supernova](#) explosions, and highlights the benefits of interdisciplinary research, combining history with modern astronomy to enable [new discoveries](#) about our galaxy.

It is the year 1181 and in Japan the Genpei War (1180–85) has recently begun. It will lead to a shift in political power from aristocratic families to the new military-based shogunate, which will establish itself in the coastal city of Kamakura near modern-day Tokyo.

A record of this tumultuous period was compiled in a diary format in the Azuma Kagami. It chronicled not only people's lives and key events (with varying accuracy), but other daily observations, including the appearance of a new star.

"There are many accounts of this temporary guest star in historical records from Japan, China and Korea. At its peak, the star's brightness was comparable to Saturn's. It remained visible to the naked eye for about 180 days, until it gradually dimmed out of sight. The remnant of the SN 1181 explosion is now very old, so it is dark and difficult to find," explained lead author Takatoshi Ko, a doctoral student from the Department of Astronomy at the University of Tokyo.

The remnant of this guest star, labeled supernova remnant (SNR) 1181, was found to have been created when two extremely dense, Earth-sized stars, called white dwarfs, collided. This created a rare type of supernova, called a Type Iax supernova, which left behind a single, bright and fast-rotating white dwarf. Aided by observations on its position noted in the historical document, modern astrophysicists finally pinpointed its location in 2021 in a nebula towards the constellation Cassiopeia.



This illustration charts the evolution of the SNR 1181 remnant, from its creation when a carbon-oxygen-based white dwarf and oxygen-neon white dwarf merged, to the formation of its two shock regions. Credit: 2024 T. Ko

Due to its rare nature and location within our galaxy, SNR 1181 has been the subject of much observational research. This suggested that SNR 1181 is made up of two shock regions, an outer region and an inner one. In this new study, the research group analyzed the latest X-ray data to construct a theoretical computer model to explain these observations, and which has recreated the previously unexplained structure of this supernova remnant.

The main challenge was that, according to conventional understanding, when two white dwarfs collide like this, they should explode and disappear. However, this merger left behind a white dwarf. The spinning white dwarf was expected to create a stellar wind (a fast-flowing stream of particles) immediately after its formation. However, what the researchers found was something else.

"If the wind had started blowing immediately after SNR 1181's formation, we couldn't reproduce the observed size of the inner shock region," said Ko.

"However, by treating the wind's onset time as variable, we succeeded in explaining all of the observed features of SNR 1181 accurately and unraveling the mysterious properties of this high-speed wind. We were also able to simultaneously track the time evolution of each shock region, using numerical calculations."

The team was very surprised to find that, according to their calculations, the wind may have started blowing only very recently, within the past 20–30 years. They suggest this may indicate that the white dwarf has started to burn again, possibly due to some of the matter thrown out by the explosion witnessed in 1181 falling back to its surface, increasing its density and temperature over a threshold to restart burning.

To validate their computer model, the team is now preparing to further observe SNR 1181 using the Very Large Array (VLA) radio telescope based in central New Mexico state in the U.S., and the 8.2 meter-class Subaru Telescope in the U.S. state of Hawaii.

"The ability to determine the age of supernova remnants or the brightness at the time of their explosion through archaeological perspectives is a rare and invaluable asset to modern astronomy," said Ko. "Such interdisciplinary research is both exciting and highlights the

immense potential for combining diverse fields to uncover new dimensions of astronomical phenomena."

**More information:** Takatoshi Ko et al, A dynamical model for IRAS 00500+6713: the remnant of a type Iax supernova SN 1181 hosting a double degenerate merger product WD J005311, *The Astrophysical Journal* (2024). DOI: [10.3847/1538-4357/ad4d99](https://doi.org/10.3847/1538-4357/ad4d99)

Provided by University of Tokyo

Citation: Elusive temporary star described in historical documents recreated using new computer model (2024, July 5) retrieved 19 August 2024 from <https://phys.org/news/2024-07-elusive-temporary-star-historical-documents.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--