


Phage viruses, used to treat antibiotic resistance, gain advantage by cutting off competitors' reproduction ability

July 4 2024



An illustration of the intron endonuclease cutting the DNA of a competing virus and disrupting its reproduction. Credit: Pogliano Labs, UC San Diego

Curious bits of DNA tucked inside genomes across all kingdoms of life historically have been disregarded since they don't seem to have a role to

play in the competition for survival, or so researchers thought.

These DNA pieces came to be known as "selfish genetic elements" because they exist, as far as scientists could tell, to simply reproduce and propagate themselves, without any benefit to their host organisms. They were seen as genetic hitchhikers that have been inconsequentially passed from one generation to the next.

Research conducted by scientists at the University of California San Diego has provided fresh evidence that such DNA elements might not be so selfish after all. Instead, they now appear to factor considerably into the dynamics between competing organisms.

[Publishing](#) in the journal *Science*, researchers in the School of Biological Sciences studied selfish genetic elements in bacteriophages ([phages](#)), viruses that are considered the most abundant organisms on Earth. To their surprise, researchers found that selfish genetic elements known as "mobile introns" provide their virus hosts with a clear advantage when competing with other viruses: Phages have weaponized mobile introns to disrupt the ability of competing phage viruses to reproduce.

"This is the first time a selfish genetic element has been demonstrated to confer a competitive advantage to the host organism it has invaded," said study co-first author Erica Birkholz, a postdoctoral scholar in the Department of Molecular Biology. "Understanding that selfish genetic elements are not always purely 'selfish' has wide implications for better understanding the evolution of genomes in all kingdoms of life."

Decades ago, biologists noted the existence of selfish genetic elements but were unable to characterize any role they play in helping the host organism survive and reproduce. In the new study, which focused on investigating "jumbo" phages, the researchers analyzed the dynamics as two phages co-infected a single bacterial cell and competed against each

other.

They looked closely at the endonuclease, an enzyme that serves as a DNA cutting tool. The endonuclease from one phage's mobile intron, the studies showed, interferes with the genome of the competing phage. Therefore, the endonuclease is now regarded as a combat tool since it has been documented cutting an essential gene in the competing phage's genome. This sabotages the competitor's ability to appropriately assemble its own progeny and reproduce.

"This weaponized intron endonuclease gives a competitive advantage to the phage carrying it," said Birkholz.

The researchers say the finding is especially important in the evolutionary arms race between viruses due to the constant competition in co-infection.

"We were able to clearly delineate the mechanism that gives an advantage and how that happens at the [molecular level](#)," said Biological Sciences graduate student Chase Morgan, the paper's co-first author.

"This incompatibility between selfish genetic elements becomes molecular warfare."

The results of the study are important as phage viruses emerge as therapeutic tools in the fight against antibiotic resistant bacteria. Since doctors have been deploying "cocktails" of phage to combat infections in this growing crisis, the new information is likely to come into play when multiple phages are implemented. Knowing that certain phages are using [selfish genetic elements](#) as weapons against other phages could help researchers understand why certain combinations of phage may not reach their full therapeutic potential.

"The phages in this study can be used to treat patients with bacterial

infections associated with [cystic fibrosis](#)," said Biological Sciences Professor Joe Pogliano. "Understanding how they compete with one another will allow us to make better cocktails for phage therapy."

The authors of the paper are: Erica Birkholz, Chase Morgan, Thomas Laughlin, Rebecca Lau, Amy Prichard, Sahana Rangarajan, Gabrielle Meza, Jina Lee, Emily Armbruster, Sergey Suslov, Kit Pogliano, Justin Meyer, Elizabeth Villa, Kevin Corbett and Joe Pogliano.

More information: Erica A. Birkholz et al, An intron endonuclease facilitates interference competition between coinfecting viruses, *Science* (2024). [DOI: 10.1126/science.adl1356](https://doi.org/10.1126/science.adl1356).
www.science.org/doi/10.1126/science.adl1356

Provided by University of California - San Diego

Citation: Phage viruses, used to treat antibiotic resistance, gain advantage by cutting off competitors' reproduction ability (2024, July 4) retrieved 15 July 2024 from <https://phys.org/news/2024-07-phage-viruses-antibiotic-resistance-gain.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--