

LEGEND: S = Standard, O = Optional, P = Package, — = Not available  
 Complete package information is listed at the end of the Feature Availability section.  
 NOTE: Information shown is correct at time of publication and is subject to change without notice.

## 2009 Chrysler Sebring Convertible FEATURE AVAILABILITY

	Sebring Convertible LX	Sebring Convertible Touring	Sebring Convertible Limited
<b>EXTERIOR</b>			
Colors			
Inferno Red Crystal Pearl Coat, Deep Water Blue Pearl Coat, Silver Steel Metallic Clear Coat, Bright Silver Metallic Clear Coat, Brilliant Black Crystal Pearl Coat and Stone White Clear Coat	O	O	O
Convertible Top			
Cloth	S	S	—
Retractable hard top	—	—	S
Automatic latching	S	S	S
Automatic retracting top with the touch of a button on the key fob (packaged with Remote Start on Sebring Convertible LX model)	P	S	S
Defroster—Electric, rear window	S	S	S
Door Handles			
Body-color	S	S	—
Chrome	—	—	S
Fascias—Body-color	S	S	S
Glass—Solar Control glass for windshield, door and rear windows	S	S	S
Grille—Silver-colored texture, bright horizontal accents	S	S	S
Hard Tonneau Cover	S	S	S
Lamps			
Quad halogen headlamps	S	S	S
Automatic	—	P	S
Headlamp off-time delay	S	S	S
Fog lamps – Fascia-mounted	—	P	S
Mirrors			
Black	S	—	—
Dual, power, heated, body-color	—	S	S
Moldings			
Beltline – Bright	S	S	S
Remote Start	P	S	S
Trunk Lid Release—Power	S	S	S
Wiper System—Windshield, variable delay, intermittent mode	S	S	S
<b>INTERIOR</b>			
Air Conditioning			

	Sebring Convertible LX	Sebring Convertible Touring	Sebring Convertible Limited
Manual temperature controls	S	S	—
Single-zone automatic temperature controls	—	P	S
Cabin-air Filtration	S	S	S
Colors			
Khaki/Light Graystone or Dark Slate Gray	O	O	—
Cream or Dark Slate Gray	—	—	O
Color Accents			
Alloy Silver and Chrome	S	—	—
Satin Silver and Chrome	—	S	—
Tortoiseshell and Chrome	—	—	S
Console			
Center console with sliding armrest and dual-level storage	S	S	S
Soft center console armrest	—	S	S
Alloy Silver center console with instrument panel	S	S	S
Premium console armrest	S	S	S
Heated/cooled cup holder	—	P	S
Door Handles (Interior)			
Color-keyed	S	—	—
Chrome	—	S	S
Door Locks – Power	S	S	S
Floor Mats – Premium			
Front and rear, carpeted	S	S	S
Glove Box			
Locking	S	S	S
HomeLink universal home security system transceiver	—	P	S
Instrument Panel			
Analog clock in instrument panel	S	S	S
Electroluminescent instrument cluster with tachometer	S	S	S
Electronic Vehicle Information Center (EVIC) with trip computer and Tire Pressure Monitoring (TPM) display	—	S	S
Outside temperature display in instrument cluster	S	S	S
Satin Silver instrument cluster trim rings	—	S	S
Alloy Silver door trim bezels	S	S	S
Satin Silver instrument panel, steering wheel, gauge cluster rings and door trim bezels	—	S	S
Tortoiseshell accents on instrument panel, steering wheel and door trim	—	—	S
Soft-touch, reverse in-mold graining	S	S	S
Incandescent lighting for front seats	S	—	—
LED interior lighting for front seats	—	S	S
Map Pockets			
Front door	S	S	S

	Sebring Convertible LX	Sebring Convertible Touring	Sebring Convertible Limited
Rear trim with bottle holders	S	S	S
Passenger seatback	S	S	S
Mirror			
Day/night manual rearview	S	S	—
Automatic-dimming rearview mirror	—	P	S
Power Outlets—Two, battery- and ignition-fed	S	S	S
Seats			
Cloth	S	—	—
Stain Repel Seat Fabric	P	S	—
Leather-trimmed seats and leather shift knob	—	P	S
Premium leather-trimmed	—	—	S
Heated leather front	—	P	S
Six-way power driver	S	S	S
Six-way power passenger	S	S	S
Driver-adjustable lumbar	S	S	S
Shifter			
Chrome accent bezel	S	S	S
Leather shift knob	—	P	S
Sound Systems			
AM/FM radio with six-disc CD player and DVD/MP3 play capability	S	S	S
Six speakers	S	S	—
Boston Acoustics speaker system	—	P	S
SIRIUS Satellite Radio	S	S	S
uconnect phone		O	S
uconnect gps voice-activated Harman/Kardon navigation/audio system, (including touch screen, voice commands, 30-gigabyte hard drive, navigation radio, and SIRIUS Satellite Radio)	—	P	O
uconnect tunes (including 30-gigabyte hard drive and touch screen with single-disc CD/DVD/MP3 player, AM/FM radio)	—	O	O
Speed Control	S	S	S
Steering Wheel			
Tilt and telescoping	S	S	S
Sport	S	S	—
Leather-wrapped, audio controls	—	P	S
Sun Visors	S	S	S
Sliding	S	S	S
Visor mirrors	S	S	S
Trunk			
Lid release—Power with internal emergency release	S	S	S
Trunk lid liner	—	—	S
Windows			

	Sebring Convertible LX	Sebring Convertible Touring	Sebring Convertible Limited
Power, front and rear	S	S	S
Express-down driver and passenger windows	S	S	S
Express-down window feature on key fob	P	S	S
Windscreen	—	P	S
<b>POWERTRAIN AND CHASSIS</b>			
2.4L DOHC 16-valve I-4 engine with dual variable valve timing, counter-rotating balance shafts and four-speed automatic transaxle	S	—	—
2.7L DOHC 24-valve V-6 Flex Fuel Vehicle (FFV) engine with dual-tuned intake manifold/non-flex-fuel for CA emissions with four-speed automatic transaxle	—	S	—
3.5L SOHC 24-valve V-6 engine with dual-tuned intake manifold, six-speed automatic transaxle with Auto Stick and dual exhausts with chrome tips	—	—	S
Alternator			
120-amp	S	—	—
140-amp	—	S	S
Battery—525 CCA	S	S	S
Brakes—Power, four-wheel disc with ABS	S	S	S
Brake Assist	—	S	S
Engine Block Heater	O	O	O
Front-wheel Drive	S	S	S
Remote Start	P	P	S
Steering—Power rack-and-pinion	S	S	S
Suspension			
Front—Independent MacPherson	S	S	S
Rear—Independent multi-link	S	S	S
Traction Control	—	S	S
Tires			
P215/65R16 All-season	S	—	—
P215/60R17 All-season Touring	—	S	—
P255/55R18 All-season Performance	—	O	S
Wheels and Wheel Covers			
16-inch steel wheels with full covers	S	—	—
17-inch cast-aluminum	—	S	—
18-inch aluminum	—	P	—
18-inch chrome-clad	—	—	S
<b>SAFETY AND SECURITY</b>			
Air Bags			
Advanced multi-stage driver and front-passenger <sup>(a)</sup>	S	S	S
Front seat-mounted thorax/head	S	S	S

Electronic Stability Program (ESP)	—	S	S
Enhanced Accident Response System (EARS)	S	S	S
LATCH (Lower Anchors and Tethers for CHildren)	S	S	S
Remote Keyless Entry	S	S	S
<b>Seat Belts</b>			
Three-point belts in all seating positions	S	S	S
Pretensioners and load-limiting retractors for front seat belts	S	S	S
BeltAlert	S	S	S
Tire Pressure Warning Lamp in Instrument Cluster	S	—	—
Tire Pressure Monitor with Specific Tire Pressure Display	—	S	S
Vehicle Theft Security Alarm—Monitors door, ignition and trunk key cylinders and disables HomeLink <sup>(b)</sup>	P	P	S
Sentry Key <sup>®</sup> Engine Immobilizer	S	S	S

(a) Certified to federal regulations that allow less forceful air bags. Always use seat belts. Remember, a back seat is the safest place for children.

(b) If so equipped.

## PACKAGES

<b>Convenience Group</b> —Includes security alarm, Stain Repel Seat Fabric, Remote Start including remote top and window operation.	O	—	—
<b>Electronic Convenience Group</b> —Includes automatic headlamps, Remote Start, security alarm, single-zone automatic temperature control, HomeLink universal home security system transceiver, automatic-dimming rearview mirror, heated/cooled cup holder	—	O	—
<b>Special Touring Group</b> —Includes 18-inch tires and aluminum wheels, windscreen, leather/chrome shift knob, leather-wrapped steering wheel, steering-wheel-mounted audio controls, leather-trimmed and heated seats and fog lamps	—	O	—
<b>Navigation and Sound Group</b> —Includes uconnect gps voice-activated navigation/audio system, (including touch screen, voice commands, 30-gigabyte hard drive, navigation radio, and SIRIUS Satellite Radio), and Boston Acoustic speaker system	—	O	O

Legend: S = Standard O = Optional P = Available within package or group — = Not available

## 2009 Chrysler Sebring Convertible

### SPECIFICATIONS

The information shown is preliminary and based on data available at the time of publication. All dimensions are in inches (millimeters) unless otherwise noted. All dimensions are measured at curb weight with standard wheels and tires unless otherwise noted.

#### GENERAL INFORMATION

Body Style	Convertible
Assembly Plant	Sterling Heights Assembly, Mich.
EPA Vehicle Class	Compact

#### ENGINE: 2.4-LITER, GASOLINE, DOHC, 16-VALVE, VVT, SMPI I-4

Availability	Standard on Sebring Convertible
Type and Description	Four-cylinders inline, tuned intake manifold with Electronic Active Charge Motion Control valves dual counter-rotating balance shafts
Displacement	144 cu. in. (2360 cu cm)
Bore x Stroke	3.46 x 3.82 (88 x 97)
Valve System	Chain-driven DOHC, 16 valves, electronically controlled dual Variable Valve Timing (VVT), direct-acting shimless mechanical bucket tappets
Fuel Injection	Sequential, multi-port, electronic, returnless
Construction	High-pressure die cast-aluminum block with dry iron liners, cast-aluminum cylinder heads, cast-aluminum ladder frame, forged steel crankshaft
Compression Ratio	10.5:1
Power (SAE net, estimated)	173 bhp (129 kW) @ 6000 rpm (71 bhp/liter)
Torque (SAE net, estimated)	166 lb.-ft. (225 N•m) @ 4400 rpm
Max. Engine Speed	6500 rpm (electronically limited)
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	5.0 qt. (4.7L) SAE 5W-20
Coolant Capacity	7.2 qt. (6.8L)
Emission Controls	Single catalytic converter, dual heated oxygen sensors and engine features <sup>(a)</sup>
Estimated EPA Fuel Economy mpg (City/Hwy)	20/29

(a) Meets Federal Tier 2, Bin 5 emissions requirements and PZEV requirements in California, Massachusetts, New York, Maine, Vermont, Connecticut, Pennsylvania, Rhode Island, New Jersey, Oregon and Washington. Meets Euro IV emissions requirements.

#### ENGINE: 2.7-LITER, GASOLINE, DOHC, 24-VALVE, SMPI V-6

Availability	Standard on Sebring Convertible Touring
Type and Description	60-degree, liquid-cooled, dual-tuned intake manifold with electronically controlled manifold tuning valve
Displacement	167 cu. in. (2736 cu. cm)
Bore x Stroke	3.38 x 3.09 (86 x 78.5)
Valve System	DOHC, 24 valves, hydraulic end-pivot roller followers
Fuel Injection	Sequential, multi-port, electronic
Construction	Semi-permanent mold aluminum block with cast-in iron liners, cast-aluminum heads

Compression Ratio	9.9:1
Power (SAE net, estimated)	186 bhp (139 kW) @ 5,500 rpm (68.8 bhp/liter)
Torque (SAE net, estimated)	191 lb.-ft. (260 N•m) @ 4,000 rpm
Max. Engine Speed	6,464 rpm (electronically limited)
Fuel Requirement	FFV: Unleaded regular, 87 octane (R+M)/2 or E85 <sup>(b)</sup>
Oil Capacity	6 qt. (5.7L) with dry filter
Coolant Capacity	9.5 qt. (9L)
Emission Controls	Dual close-coupled three-way catalytic converters, quad heated oxygen sensors and internal engine features <sup>(c)</sup>
Estimated EPA Fuel Economy mpg (City/Hwy)	18/26

(b) E85 fuel is a blend containing 85 percent fuel-grade ethanol and 15 percent gasoline.

(c) Federal FFV (Flex Fuel Vehicle) can operate on both unleaded gasoline or E85 fuel, or any mixture of these fuels in Federal States. Meets Tier 2, Bin 8 emissions requirements and LEV II emissions requirements for California, Massachusetts, New York, Maine, Vermont, Connecticut, Pennsylvania, Rhode Island, New Jersey, Oregon and Washington. Meets Euro IV emissions requirements.

---

**ENGINE: 3.5-LITER, GASOLINE, SOHC, 24-VALVE, SMPI V-6**

Availability	Standard on Sebring Convertible Limited
Type and Description	60-degree bank angle, liquid-cooled, three-plenum intake manifold with electronically controlled manifold tuning valve and short-runner valves
Displacement	3518 cu. cm
Bore x Stroke	96 x 81
Valve System	SOHC, 24 valves, hydraulic, center-pivot roller rocker arms
Fuel Injection	Sequential, multi-port, electronic
Construction	Semi-permanent mold aluminum block with cast-in iron liners and cast-aluminum heads
Compression Ratio	10.0:1
Power (SAE net, estimated)	235 bhp (175 kW) @ 6,400 rpm (71.4 bhp/liter)
Torque (SAE net, estimated)	232 lb.-ft. (315 N•m) @ 4,000 rpm
Max. Engine Speed	6,800 rpm (electronically limited)
Fuel Requirement	Unleaded mid-grade, 89 octane (R+M)/2 – preferred, unleaded regular, 87 octane (R+M)/2 – acceptable
Oil Capacity	6 qts. (5.7L) with dry filter
Coolant Capacity	10.3 qts. (9.75L)
Emission Controls	Three-way catalytic converter, electronic EGR, and internal engine features <sup>(d)</sup>
Estimated EPA Fuel Economy mpg (City/Hwy)	16/26

(d) Meets Federal Tier 2, Bin 5 emissions requirements and ULEV II requirements in California, Massachusetts, New York, Maine, Vermont, Connecticut, Pennsylvania, Rhode Island, New Jersey, Oregon and Washington. Meets Euro IV emissions requirements.

---

**TRANSAXLE: 40TES, AUTOMATIC FOUR-SPEED OVERDRIVE**

---

Availability	Standard with 2.4L engine
Description	4-speed overdrive, adaptive electronic control, electronically modulated converter clutch
Gear Ratios	
1 <sup>st</sup>	2.842
2 <sup>nd</sup>	1.57
3 <sup>rd</sup>	1
4 <sup>th</sup>	0.69
Reverse	2.21
Final Drive Ratio	3.91
Overall Top Gear	2.7

---

**TRANSAXLE: 41TES, AUTOMATIC FOUR-SPEED OVERDRIVE**

---

Availability	Standard with 2.7L engine
Description	4-speed overdrive, adaptive electronic control, electronically modulated converter clutch
Gear Ratios	
1 <sup>st</sup>	2.842
2 <sup>nd</sup>	1.57
3 <sup>rd</sup>	1
4 <sup>th</sup>	0.69
Reverse	2.21
Final Drive Ratio	3.91
Overall Top Gear	2.7

---

**TRANSAXLE: 62TE, AUTOMATIC SIX-SPEED OVERDRIVE**

---

Availability	Standard with 3.5L engine
Description	Six-speed, adaptive electronic control or Auto Stick driver-interactive manual control and electronically modulated torque converter clutch
Gear Ratios	
1 <sup>st</sup>	4.127
2 <sup>nd</sup>	2.842
3 <sup>rd</sup>	2.283
4 <sup>th</sup>	Upshift — 1.452, WOT kickdown — 1.570
5 <sup>th</sup>	1
6 <sup>th</sup>	0.69
Reverse	3.214
Transfer Ratio	0.95
Final Drive Ratio	3.43
Overall Top Gear	2.248

---



<b>DRIVETRAIN</b>	
<b>Front-wheel Drive</b>	
Availability	Standard with all engines
<b>DIMENSIONS AND CAPACITIES</b>	
General	
Wheelbase	108.9 (2765)
Track, Front	61.8 (1570)
Track, Rear	61.8 (1570)
Overall Length	193.8 (4922)
Overall Width	71.5 (1816)
Overall Height	58.5 (1485)
Aero	
CdA	8.2
Cd	0.34
Fuel Tank Capacity, gal. (L)	16.9 (64.4)
Towing Capacity, lbs. (kg)	
2.4L Engine	Not recommended
2.7L Engine	1,000 (450)
3.5L Engine	1,000 (450)
U.S. Curb Weight, lbs. (kg)	
2.4L Gasoline Engine	Sebring Convertible 3,742 (1697)
2.7L Gasoline Engine	Sebring Convertible Touring 3,847 (1745)
3.5L Gasoline Engine	Sebring Convertible Limited 3,959 (1796)
<b>ACCOMMODATIONS</b>	
Seating Capacity - F/R	2/2
EPA Total Interior Passenger Volume, cu. ft. (cu. m)	100 (2.83)
Front	
Head Room w/Vinyl or Cloth Convertible Top	38.8 (984.4)
Head Room w/Retractable Hard Top	39.0 (991.8)
Leg Room	42.4 (1077.1)
Shoulder Room	56.4 (1433.2)
Hip Room	53.3 (1353.0)
Seat Travel	10.2 (260)
EPA Total Interior Volume	100.8 (2.85)
EPA Front Compartment Volume, cu. ft. (cu. m)	53.7 (1.52)
Rear	
Head Room w/ Vinyl or Cloth Convertible Top	37.2 (944.7)

Head Room w/Retractable Hardtop	36.6 (929.5)
Leg Room	33.5 (850.1)
Shoulder Room	48.5 (1232.8)
Hip Room	44.2 (1123.2)
EPA Rear Compartment Volume, cu. ft. (cu. m)	35.0 (.099)
<b>Cargo</b>	
Liftover Height	31.6 (800.4)
EPA Total Trunk Volume – Top Up	13.1 (.370)
EPA Total Trunk Volume – Top Down	6.6 (.186)

### **BODY/CHASSIS**

Layout	Transverse front engine, front-wheel drive
Construction	Steel unibody

### **SUSPENSION**

Front	Independent MacPherson strut, coil spring over gas-charged shock absorbers, stabilizer bar with isolated suspension cradle
Rear	Multi-link independent with coil springs, link-type stabilizer bar, gas-charged shock absorbers and isolated rear suspension cradle

### **STEERING**

Type	Speed-proportional, power rack-and-pinion
Overall Ratio	16.5:1
Turning Diameter (curb-to-curb)	36.5 ft. (11.13)
Steering Turns (lock-to-lock)	3.3

### **BRAKES**

Power Assist Type	All - 8 x 9 (204 x 230) tandem-diaphragm vacuum
Availability	Standard on Sebring Convertible LX
<i>Front</i>	
Size and Type	11.5 x 1.0 (294 x 26) vented rotors with 2.2 (57.0) single-piston floating caliper
Swept Area (Total Front)	223.5 sq. in. (1442.1 sq. cm)
<i>Rear</i>	
Size and Type	11.5 x 0.4 (294 x 10) solid rotor with 1.4 (35.0) single-piston floating caliper
Swept Area (Total Rear)	138.6 sq. in. (894.6 sq. cm)
Parking Brake Type	Drum-in-hat
Four-wheel Anti-lock Brake System (ABS)	Standard
Availability	Standard on Sebring Convertible Touring and Sebring Convertible Limited

<i>Front</i>	
Size and Type	11.5 x 1.0 (294 x 26) vented rotors with 2.2 (57.0) single-piston floating caliper
Swept Area (Total Front)	223.5 sq. in. (1442.1 sq. cm)
<i>Rear</i>	
Size and Type	11.88 x 0.4 (302 x 10) solid rotor with 1.4 (35.0) single-piston floating caliper
Swept Area (Total Rear)	223.2 sq. in. (1440 sq. cm)
Parking Brake Type	Drum-in-hat
Four-wheel Anti-lock Brake System (ABS)	Standard
Electronic Stability Program (ESP)	Optional
Traction Control	Optional
<b>WHEELS</b>	
Availability	Standard on Sebring Convertible LX
Type and Material	Steel painted with Sparkle Silver wheel cover
Size	16 in. x 6.5 in.
Availability	Standard on Sebring Convertible Touring
Type and Material	Machined and painted cast-aluminum, Sparkle Silver
Size	17 in. x 6.5 in.
Availability	Optional on Sebring Convertible Touring
Type and Material	Machined and painted cast-aluminum, Sparkle Silver
Size	18 in. x 7.0 in.
Availability	Standard on Sebring Convertible Limited
Type and Material	Chrome-clad cast-aluminum
Size	18 in. x 7.0 in.
<b>TIRES</b>	
Availability	Standard on Sebring Convertible LX
Size and Type	P215/65R16, All-season
Model	Firestone FR690
Revs per Mile (km)	774
Availability	Standard on Sebring Convertible Touring, Optional on Sebring Convertible LX
Size and Type	P215/60R17, All-season Touring
Model	Bridgestone Turanza EL400
Revs per Mile (km)	772
Availability	Standard on Sebring Convertible Limited, Optional on Sebring Convertible

	Touring
Size and Type	P215/55R18, All-season Touring
Model	Bridgestone Turanza EL400
Revs per Mile (km)	763