



**Body Style:** Compact sport-utility vehicle

**Layout:** Transverse front engine, 2WD/4WD

**Seat Layout:** 2/3

**EPA Vehicle Class:** Compact SUV

**Assembly:** Belvidere, Ill.

**2010 JEEP COMPASS—CAPABLE, FUN AND FUEL EFFICIENT**

The Jeep brand continues to tread in the compact sport-utility vehicle (SUV) market with the 2010 Jeep Compass—delivering fun, freedom, utility, 29-mpg highway fuel efficiency, and Jeep 4x4 capability at a terrific value.

Compact and nimble, Jeep Compass brings a new sense of adventure to the compact SUV market, combining the packaging and functionality of an SUV with the performance, handling, fuel economy and price of a compact car. Compass and its stablemate, Patriot, are the Jeep brand's first front-wheel-drive-based products with fully independent suspensions for comfortable on-road ride and handling and fun-to-drive characteristics.

Jeep Compass is designed to deliver world-class performance and fuel economy. Jeep Compass features a 2.4-liter World Engine that produces 172 horsepower (129 kW), 165 lb.-ft. (224 N•m) of torque, and (when paired with a five-speed manual transmission) delivers 23 mpg city and 28 mpg on the highway on both 4x2 and 4x4 models.

For even greater fuel economy, and new to the 2010 Jeep Compass, a 2.0-liter World Engine with five-speed manual transmission offers 158 horsepower (117 kW), 141 lb.-ft. (191 N•m) of torque and delivers 23 mpg city and 29 mpg on the highway.

Jeep Compass offers a full-time, active four-wheel-drive system called Freedom Drive I™. This four-wheel-drive system features a lockable Electronic-controlled Coupling (ECC), giving Jeep Compass 4x4 drivers the ability to handle rough weather conditions and low-traction surfaces.

Jeep Compass is designed for customers who want four-wheel-drive capability or the year-round versatility of front-wheel drive, excellent fuel economy and an attractive price point. With modern interior and exterior styling, and traditional round Jeep headlamps and seven-slot grille, muscular body-side flares, strong stance and sweeping roofline—the 2010 Jeep Compass design broadens the global appeal of the Jeep brand.

**NEW FOR 2010**

- Five-speed manual transmission with 2.0-liter World Engine delivers 29 mpg highway (standard on Compass Sport 4x2)
- Driver and front-passenger active head restraints (all models)
- Remote start (available with Security Group)
- Automatic climate control (available on Compass Limited)

**SAFETY AND SECURITY**

More than 30 safety and security features including:

- Advanced Multi-stage Air Bags
- Supplemental Side Air Bags
- Electronic Stability Control (ESC)
- Hill-start Assist (HSA)


**FUEL ECONOMY (city/hwy)**

<b>2.0L DOHC I-4</b>	<b>2.4L DOHC I-4</b>
23/29 – Man. 4x2	23/28 – Man. 4x2
23/27 – CVT 4x2	21/25 – CVT2 4x2
	23/28 – Man. 4x4
	21/24 – CVT2 4x4

**MODELS / POWERTRAINS**

MODEL	ENGINES		TRANSMISSIONS	
	2.0L I-4	2.4L I-4	5-SPEED MANUAL (T355)	CVT2 (Jatco)
Sport	0*	S	S	0
Limited	–	S	S	0
* 2WD only				

**DIMENSIONS, IN. (MM)**



<b>O.A. Width:</b> 69.3 (1760)	<b>Curb Wt. lb.(kg):</b>
<b>Track, Front:</b> 59.8 (1520)	Sport 2WD: 3,074 (1394)
<b>Track, Rear:</b> 59.8 (1520)	Sport 4WD: 3,222 (1462)
	Limited 2WD: 3,148 (1428)
	Limited 4WD: 3,304 (1500)

## 2010 JEEP® COMPASS AT A GLANCE

### Breakthrough Jeep® conquers new territory

- Jeep Compass is a fun-to-drive compact Jeep 4x4 that delivers fun, freedom, utility and capability, 29-mpg highway fuel economy, interior flexibility and standard safety features—all at a great value
- Jeep Compass combines the packaging and functionality of a sport-utility vehicle with the performance, handling, fuel economy and price of a compact car
- Jeep Compass features a 172-horsepower 2.4-liter World Engine with dual Variable-valve Timing (VVT) and an available CVT2 with Auto Stick
- New 2.0-liter World Engine with five-speed manual transmission delivers 29-mpg highway fuel efficiency
- Compact and nimble, Jeep Compass is sized for world markets

### Modern, urban design appeals to a new class of entry-level Jeep buyers

- Jeep Compass is a modern-styled Jeep that broadens the global appeal of the Jeep brand by targeting new buyers who previously may not have considered the brand
- Jeep Compass offers the credibility and prestige of the Jeep brand

### Innovative interior features and flexibility, including:

- Flexible 60/40 split, fold-flat rear seats with available recline feature
- Available front-passenger seat that folds forward to create a table-like surface for versatility
- Available 115-volt power outlet in the center console that can power small electronics
- Removable, carpeted-load floor
- Standard dual-purpose, self-recharging removable LED interior lamp mounted in the headliner above the cargo area that snaps out of the bezel to serve as a flashlight
- Available stain-repel seat fabric
- Security and Convenience Group (includes HomeLink universal transceiver, Tire-pressure Monitoring (TPM) display, Electronic Vehicle Information Center (EVIC) with compass, Uconnect™ Phone with iPod® Control, auto-dimming rearview mirror with microphone, soft tonneau cover, remote start, security alarm, heated cloth seats and front seat-mounted side air bags)
- Sun and Sound Group (includes sun roof, SIRIUS Satellite Radio, a leather-wrapped steering wheel with audio controls, nine Boston Acoustics speakers including subwoofer and two articulating speakers packaged in the liftgate)
- LED illuminated cup holders

### Standard safety features include:

- Side-curtain air bags
- Electronic Stability Control (ESC)
- Brake Assist
- Hill-start Assist (HSA) (with manual transmission)
- Electronic-roll Mitigation (ERM)
- (ABS) with rough-road detection
- Brake-traction Control System (BTCS)
- Driver and front-passenger active head restraints

## 2010 JEEP® COMPASS SPECIFICATIONS

Dimensions are in inches (millimeters) unless otherwise noted.

## GENERAL INFORMATION

Body Style	Sport-utility vehicle
Assembly Plant	Belvidere, Ill.
EPA Vehicle Class	Compact SUV
Introduction Date	August 2006

## ENGINE: 2.0-LITER DOHC 16-VALVE I-4 WITH DUAL VVT

Availability	Optional on Compass Sport 4x2
Type and Description	Four-cylinder inline, tuned intake manifold with electronic Active Charge Motion Control valves, dual counter-rotating balance shafts
Displacement	121.9 cu. in. (1998 cu. cm)
Bore x Stroke	3.39 x 3.39 (86 x 86)
Valve System	Chain-driven DOHC, 16 valves, electronically controlled dual VVT, direct-acting shimless mechanical bucket tappets
Fuel Injection	Sequential, multiport, electronic, returnless
Construction	High-pressure die-cast aluminum block with dry iron liners, cast-aluminum cylinder head, cast-aluminum ladder frame, forged steel crankshaft
Compression Ratio	10.5:1
Power (SAE net, estimated)	158 bhp (117 kW) @ 6,400 rpm (79 bhp/liter)
Torque (SAE net, estimated)	141 lb.-ft. (191 N•m) @ 5,000 rpm
Maximum Engine Speed	6,750 rpm (electronically limited)
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	5.0 qt. (4.7L) SAE 5W/20
Coolant Capacity	7.2 qt. (6.8L)
Emission Controls	Single catalytic converter, dual heated oxygen sensors and engine features 0.9 g/mile (0.56 g/km) <sup>(c)</sup>
Estimated EPA Fuel Economy mpg (City/Hwy)	23/29—2WD with five-speed manual transaxle
2009 EPA standards	23/27—FWD CVT

## ENGINE: 2.4-LITER DOHC 16-VALVE I-4 WITH DUAL VVT

Availability	Standard on Compass Sport and Limited 4x2 and 4x4
Type and Description	Four-cylinder inline, tuned intake manifold with Electronic Active Charge Motion Control valves dual counter-rotating balance shafts
Displacement	144 cu. in. (2360 cu. cm)
Bore x Stroke	3.46 x 3.82 (88 x 97)
Valve System	Chain-driven DOHC, 16 valves, electronically controlled dual VVT, direct-acting shimless mechanical bucket tappets
Fuel Injection	Sequential, multiport, electronic, returnless
Construction	High-pressure die-cast aluminum block with dry iron liners, cast-aluminum cylinder head, cast-aluminum ladder frame, forged steel crankshaft
Compression Ratio	10.5:1
Power (SAE net, estimated)	172 bhp (129 kW) @ 6,000 rpm (72 bhp/liter)
Torque (SAE net, estimated)	165 lb.-ft. (224 N•m) @ 4,400 rpm
Maximum Engine Speed	6,500 rpm (electronically limited)
Fuel Requirement	Unleaded regular, 87 octane (R+M)/2
Oil Capacity	5.0 qt. (4.7L) SAE 5W/20
Coolant Capacity	7.2 qt. (6.8L)

## 2010 JEEP® COMPASS SPECIFICATIONS

Emission Controls	Single catalytic converter, FWD, Dual catalytic converter, 4WD Dual heated oxygen sensors and engine features
Smog-forming Pollution	0.9 g/mile (0.56 g/km) <sup>(c)</sup>
Maximum Gross Trailer Weight	1000 lbs. (450 kg) 2000 lbs. (900 kg)—with Trailer-tow Prep Group
Estimated EPA Fuel Economy mpg (City/Hwy) (2009 EPA Standards)	23/28—2WD with five-speed manual transaxle 21/25—2WD with CVT2 23/28—4WD with five-speed manual transaxle 21/24—Freedom Drive I™ 4WD with CVT2

<sup>(c)</sup> NMOG + NOX emission limits under ULEV II and Tier 2, Bin 5 emission requirements.

### TRANSAXLE: MANUAL MAGNA DRIVELINE T355 5-SPEED

Availability	Standard—2.0L engine Standard—2.4L engine
Description	5-speed, overdrive, synchronized in all forward ratios, cable-operated, 3-plane shifter
<b>Gear Ratios</b>	
1st	3.77
2nd	2.16
3rd	1.41
4th	1.026
5th	0.72
Reverse	3.417
Final-drive Ratio	4.12
Overall Top-gear	3.34

### TRANSAXLE: AUTOMATIC JATCO MODEL CVT2 WITH AUTO STICK

Availability	Optional—2.0L engine Optional—2.4L engine
Description	Continuously variable ratio, lockup torque converter, electronic controls
<b>Gear Ratios</b>	
Forward	2.349:1 to 0.394:1 continuously variable
Reverse	1.762:1
Final-drive Ratio	6.12:1
Overall Top-gear Ratio	2.411
Auto Stick	Standard with CVT2

### DRIVETRAIN

<b>Front-wheel Drive</b>	
Availability	Standard
Front Differential	Open
<b>Four-wheel Drive</b>	
Availability	Optional
Type	Electronically-controlled Coupling (ECC) with four-wheel-drive lock
Rear Differential	Open

### ELECTRICAL SYSTEM

Alternator	120-amp
Battery	525 CCA, maintenance-free

## 2010 JEEP COMPASS SPECIFICATIONS

DIMENSIONS AND CAPACITIES<sup>(d)</sup>

Wheelbase	103.7 (2635)
Track, Front	59.8 (1520)
Track, Rear	59.8 (1520)
Overall Length	173.4 (4404)
Overall Width	69.3 (1760)
Overall Height	65.2 (1631)
Overhang, Front	34.5 (877)
Overhang, Rear	35.2 (892)
Approach Angle with P215/60/R17 Tire	20.1°
Breakover Angle with P215/60/R17 Tire	20.3°
Departure Angle with P215/60/R17 Tire	31.4°
Ground Clearance with P215/60/R17 Tire	8.1 (206)
Approach Angle with P215/65/R17 Tire	20.6°
Breakover Angle with P215/65/R17 Tire	21.0°
Departure Angle with P215/65/R17 Tire	32.2°
Ground Clearance with P215/65/R17 Tire	8.4 (213)
Aero (CdA)	10.6—2WD 10.7—4WD
NAFTA Curb Weight, lb. (kg)	Sport 2WD—3074 (1394) Sport 4WD—3222 (1462) Limited 2WD—3148 (1428) Limited 4WD—3304 (1500)
Weight Distribution, percent F/R	59/41—2WD; 57/43—4WD
Fuel Tank Capacity, gal. (L)	13.6 (51.5)—2WD; 13.5 (51.1)—4WD

<sup>(d)</sup> All dimensions measured at curb weight with standard tires.

## ACCOMMODATIONS

Seating Capacity, F/R	2/3
<b>Front</b>	
Head Room without Sun Roof	40.7 (1033)
Leg Room	40.6 (1032)
Shoulder Room	54.6 (1387)
Hip Room	52.3 (1328)
Seat Travel	Driver—10.2 (260); Passenger—10.2 (260)
Recliner Angle Range	Driver—up to 88° Passenger—76° fold-flat/88° non-fold-flat
SAE Front Seat Volume Index, cu. ft. (cu. m)	52.2 (1.478)
<b>Rear</b>	
Head Room	39.9 (1013)
Leg Room	39.4 (999)
Knee Clearance	1.7 (44.1)
Shoulder Room	54.0 (1371)
Hip Room	51.0 (1297)
SAE Rear-Seat Volume Index, cu. ft. (cu. m)	49.1 (1.391)
SAE Interior Volume, cu. ft. (cu. m)	101.3 (2.87)

## 2010 JEEP® COMPASS SPECIFICATIONS

### Cargo Volume Indexes

Rear Seats Up, cu. ft. (cu. m)	22.7 (0.643)
Rear Seats Folded, cu. ft. (cu. m)	53.6 (1.519)
EPA Interior Volume Index, cu. ft. (cu. m)	124 (3.512)
Trunk Lift-over Height	30.5 (781.5)
<b>Cargo Volume with Front Passenger Seat and Rear Seat Folded, cu. ft. (cu. m)</b>	<b>60.7 (1.719)</b>
Minimum Cargo Width at Liftgate Opening	38.5 (976)
Minimum Cargo Height at Liftgate Opening	25.0 (634)
Maximum Cargo Width at Liftgate Opening	45.3 (1150)
Maximum Cargo Height at Liftgate Opening	26.7 (681)
Distance Between Wheelhouse Interior Trim	38.0 (966)

### BODY AND CHASSIS

Layout	Transverse front-engine, front-wheel drive or four-wheel drive
Construction	Unitized steel body

### SUSPENSION

Front	Independent MacPherson strut, coil spring over gas-charged shock absorbers and stabilizer bar
Rear	Multi-link independent with coil springs, link-type stabilizer bar, gas-charged shock absorbers

### STEERING

Type	Rack-and-pinion with hydraulic power assist
Overall Ratio	16.4:1
Turning Diameter (curb-to-curb)	17-in. wheels and tires—35.6 ft. (10.8 m) 18-in. wheels and tires—37.2 ft. (11.3 m)
Steering Turns (lock-to-lock)	17-in. wheels and tires—2.88 18-in. wheels and tires—2.76

### WHEELS

Availability	Standard on Compass Sport
Type and Material	Full Painted Aluminum
Size	17 x 6.5
Availability	Standard on Compass Limited
Type and Material	Full Painted Aluminum
Size	18 x 7.0
Availability	Optional on Compass Limited
Type and Material	Chrome-clad Aluminum
Size	18 x 7.0

## 2010 JEEP COMPASS SPECIFICATIONS

## TIRES

Availability	Standard on Compass Sport
Size and Type	P215/60R17 BSW All-season Touring
Manufacturer and Model	Firestone Affinity S3
Revs per Mile	771 (479)
Availability	Standard on Compass Limited
Size and Type	P215/55R18 All-season Performance
Manufacturer and Model	Firestone Firehawk GTA 03
Revs per Mile	765 (476)
Availability	Optional on Compass Sport
Size and Type	P215/65R17 outlined white letter (OWL) All-terrain
Manufacturer and Model	Goodyear Wrangler GTA 03
Revs per Mile	743 (462)

## BRAKES

Availability	Standard on 4x2 Sport
<b>Front</b>	
Size and Type	11.5 x 1.0 in. (294 x 26 mm) vented disc with 2.2 in. (57 mm) single-piston floating caliper
Swept Area	223.52 sq. in. (1442.12 sq. cm)
<b>Rear</b>	
Size and Type	9.0 x 1.38 in. (229 x 35) drums
Swept Area	78.1 sq. in. (503 sq. cm)
Power-assist Type	10-in. (254-mm) single-diaphragm vacuum
Anti-lock Brake System (ABS)	Standard
Electronic Stability Control (ESC)	Standard
Hill-start Assist (HSA)	Standard with manual transmission
Availability	Standard on 4x4 Sport and Limited, optional on 4x2 Limited
<b>Front</b>	
Size and Type	11.5 x 1.0 in. (294 x 26 mm) vented disc with 2.2 in. (57 mm) single-piston floating caliper
Swept Area	223.52 sq. in. (1442.12 sq. cm)
<b>Rear</b>	
Size and Type	10.3 x 0.39 in. (262 x 10) solid disc with 1.4 in. (35 mm) single-piston floating caliper
Swept Area	138.64 sq. in. (894.6 sq. cm)
Power-assist Type	10-in. (254-mm) single-diaphragm vacuum
Anti-lock Brake System (ABS)	Standard
Electronic Stability Control (ESC)	Standard

## 2010 JEEP® COMPASS FEATURE AVAILABILITY

LEGEND: S = Standard, O = Optional, P = Package, — = Not available

Complete package information is listed at the end of the Feature Availability section.

NOTE: Information shown is correct at time of publication and is subject to change.

	Sport	Limited
<b>EXTERIOR</b>		
Colors		
Inferno Red Crystal Pearl Coat		
Natural Green Metallic Clear Coat		
Bright Silver Metallic Clear Coat		
Brilliant Black Crystal Pearl Coat		
Stone White Clear Coat		
Sunburst Orange Pearl Coat		
Light Sandstone Metallic Clear Coat		
Optic Green Metallic Pearl Coat		
Deep Water Blue Pearl Coat	O	O
Fascias—Front and rear		
Body-color	S	S
Bright overlays	—	S
Door Handles		
Black	S	—
Body-color (included with Sport "E" Group)	P	S
Fog Lamps		
Glass—Sunscreen, deep-tinted (included with Sport "E" Group)	P	S
Grille—Body-color	S	S
Halogen Headlamps	S	S
Liftgate Appliqué		
Accent color	S	—
Body-color	P	S
Mirrors		
Manual	S	—
Dual, heated, power, fold-away (included with Sport "E" Group)	P	S
Molding		
Body-side—Bright Silver lower	—	S
Sill—Black	S	S
Side Roof Rails—Black	S	S
Sun Roof—Power express open/close (included with Sun and Sound Package)	P	P
Windshield Wipers		
Variable speed intermittent	S	S
Rear-window wiper/washer	S	S
<b>INTERIOR</b>		
Air Conditioning—with cabin filtration	S	S
Assist Handles, Passenger	S	S
Center Console		
Armrest—Padded, sliding with split lid	S	S
Illuminated cup holders	S	S
Chromed Accents		
Chromed HVAC and shifter bezels	S	S
Chromed instrument panel, door spears, cluster rings	—	S
Climate Control—Automatic temperature controls (late availability)	—	O



## 2010 JEEP® COMPASS FEATURE AVAILABILITY

	Sport	Limited
Defroster—Rear-Window	S	S
Door Locks		
Manual	S	–
Speed-sensitive, power (included with Sport “E” Group)	P	S
Floor Mats—Front and rear	S	S
Instrument Cluster		
LED with four gauges, including tachometer	S	S
Electronic Vehicle Information Center (EVIC) with compass (included with Security and Convenience Group)	P	S
Outdoor temperature gauge in odometer	S	S
Interior Colors:		
Dark Slate, Dark Slate/ Light Pebble Beige	O	O
Interior Lighting		
Map reading lamps	S	S
Cargo compartment lamp	S	S
Removable, rechargeable LED flashlight	S	S
Load Floor		
Carpeted, Removable	S	S
Mirror—Rearview, auto-dimming (included with Security and Convenience Group)	P	S
Auxiliary Power Outlet		
12-volt	S	S
115-volt (included with Sport “E” Group)	P	S
Seats—Front		
Cloth	S	–
Stain Repel Seat Fabric (included with Sport “E” Group)	P	–
Heated cloth (included with Security and Convenience Group)	P	–
Heated leather-trimmed buckets	–	S
Driver height adjuster (included with Sport “E” Group)	P	–
Driver manual lumbar	–	S
Fold-flat front passenger (included with Sport “E” Group)	P	S
6-way Power driver seat	–	S
Seats—Rear		
60/40 fold-flat	S	–
60/40 fold-flat, reclining (included with Sport “E” Group)	P	S
Sound/Communication Systems		
AM/FM/CD stereo with MP3 auxiliary input jack	S	S
Uconnect Multimedia	O	O
Uconnect Navigation	–	O
Uconnect Phone (included with Uconnect Navigation and Security and Convenience Group)	–	P
iPod® Control (included with Security and Convenience Group and Uconnect Navigation)	P	P
SIRIUS Satellite Radio (included with Sun and Sound Group)	P	S
Four speakers	S	S
Nine Boston Acoustics speakers with subwoofer (included with Sun and Sound Group)	P	P
Speed Control (included with Sport “E” Group)	P	S
Steering Column—Tilt	S	S
Steering Wheel—Leather-wrapped with audio controls (included with Sun and Sound Group)	P	S
HomeLink universal transceiver (included with Security and Convenience Group)	P	S
Electronic Vehicle Information Center (EVIC) (included with Security and Convenience Group)	P	S

## 2010 JEEP® COMPASS FEATURE AVAILABILITY

	Sport	Limited
<b>Windows</b>		
Manual	S	–
Power with driver one-touch (included with Sport “E” Group)	P	S
<b>POWERTRAIN AND CHASSIS</b>		
Engine—2.0-liter DOHC 16V dual VVT 158-horsepower I-4	0	–
Engine—2.4-liter DOHC 16V dual VVT 172-horsepower I-4	S	S
<b>Transmissions</b>		
Five-speed manual	S	S
Continuously Variable Transaxle (CVT2) with Auto Stick	0	0
<b>Brakes</b>		
Anti-lock Brake System (ABS)	S	S
<b>Drive Systems</b>		
Front-wheel drive	S	S
Freedom Drive I™	0	0
Engine Block Heater	0	0
Steering—Power-assisted, rack-and-pinion	S	S
<b>Suspension—Four-wheel independent</b>		
Front—Independent MacPherson strut	S	S
Rear—Independent multi-link	S	S
<b>Tires</b>		
P215/60R17 BSW All-season Touring	S	–
P215/55R18 BSW All-season Performance	–	S
P215/65R17 OWL All-terrain	0	–
Compact spare	S	S
Full-size spare (with Trailer-tow Prep Package)	P	P
<b>Wheels</b>		
17-inch x 6.5-inch Aluminum Sparkle Silver	S	–
18-inch x 7.0-inch Aluminum	–	S
18-inch x 7.0-inch Aluminum Chrome-clad	–	0
<b>SAFETY AND SECURITY</b>		
Electronic Stability Control (ESC)	S	S
Electronic-roll Mitigation (ERM)	S	S
Enhanced Accident Response System (EARS) (turns on interior lights, unlocks doors, shuts off fuel flow to the engine after air bag deployment)	P	S
Remote keyless entry with illuminated entry (included with Sport “E” Group)	P	S
<b>Restraint Systems</b>		
Advanced multi-stage driver and front-passenger air bags <sup>(a)</sup>	S	S
Supplemental side-curtain air bags	S	S
Supplemental seat-mounted driver and front-passenger air bags (included with Security and Cargo Convenience Group)	0	P
<b>Seat belts</b>		
Three-point, with automatic-locking retractors	S	S
Pretensioners and load-limiting retractors, front seats	S	S
LATCH (Lower Anchors and Tethers for CHildren)	S	S
BeltAlert system (driver’s side)	S	S

2010 JEEP COMPASS FEATURE AVAILABILITY

	Sport	Limited
Sentry Key® engine immobilizer Theft-deterrent System	S	S
Soft Tonneau Cover (Included with Security and Convenience Group)	P	P
Traction Control	S	S
Tire-pressure Warning Lamp	S	–
Tire-pressure Monitoring (TPM) Display (included with Security and Convenience Group)	P	S
Vehicle Theft Security Alarm with Motion Sensor (included with Security Group)	P	P

<sup>(a)</sup> Certified to federal regulations that allow less forceful air bags. Always sit properly in the seat with the seat belt fastened. Always observe the passenger air bag indicator lamp to determine if the OCS classification is appropriate. Children 12 and under should always be in a back seat correctly using an infant or child restraint system or the seat belt positioned correctly for the child’s age and weight.

PACKAGES / EQUIPMENT GROUPS

Jeep Compass Sport “E” Group—Reclining rear 60/40 split seats, front-passenger fold-flat seat, driver seat height adjuster, power windows (one-touch up), power locks, power heated fold-away mirrors, body-color front door handles and lift gate applique, remote keyless illuminated entry, deep-tinted sunscreen glass, 115-volt auxiliary power outlet, stain-repel seat fabric, iPod® Control and speed control	0	–
Sun and Sound Group—Nine Boston Acoustics speakers, including two articulating liftgate speakers, amplifier/subwoofer, leather-wrapped steering wheel/audio controls, SIRIUS Satellite Radio and sun roof	0	–
Sun and Sound Group—Nine Boston Acoustics speakers, including two articulating liftgate speakers, amplifier/subwoofer and sun roof	–	0
Security and Cargo Convenience Group—Front-seat side-mounted air bags, heated cloth seats, soft tonneau cover, security alarm, automatic-dimming rearview mirror, Electronic Vehicle Information Center with compass display, HomeLink universal transceiver, Tire-pressure Monitoring (TPM) display and remote start (with CVT)	0	–
Security and Cargo Convenience Group—Front seat side-mounted air bags, soft tonneau cover, security alarm, daytime running lamps, Uconnect Phone, iPod® Control, auto-dimming rearview mirror with microphone and remote start (with CVT)	–	0
Smoker’s Group—Removable ashtray and cigar lighter	0	0
Trailer-tow Prep Group—Engine oil cooler, trailer-tow wiring harness and full-size spare	0	0

NOTES

---

A series of horizontal dotted lines for writing notes.