

# MATIN FLOOR LAMP

PRODUCT FACT SHEET



**HAY**

## MATIN FLOOR LAMP


DESIGN BY INGA SEMPÉ, 2023

The Matin Floor Lamp offers a contemporary yet poetic design, with a construction that combines visual delicacy with physical robustness. The flat-packed design consists of a slender polished brass steel frame complemented with matte black hardware and zinc alloy joints at the base, which is paired with a pleated cotton shade in a variety of carefully selected colours. The light source is an integrated LED, offering a diffused light which is accompanied by a digital in-line dimmer floor switch to adjust the output of light if required.

### HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- A family of contemporary table, floor, ceiling and wall lamps.
- Elegant floor lamp with a steel wire bent frame, paired with a pleated cotton shade in different colours.
- CE approved.
- Integrated LED light source ensuring a life span of at least 25,000 hours of use.
- In-line step dimmer floor switch.
- Suitable for both private and office environments.

### DIMENSIONS



#### MATIN FLOOR LAMP 500

WIDTH 50 CM

DEPTH 50 CM

HEIGHT 129 CM

### MATERIALS

#### SHADE

Cotton fabric laminated to a PVC sheet. Black top screw in injection moulded ABS.

#### BODY

Bent steel wire with polished brass finish, precision cast steel counter weight and injection moulded ABS.

#### CORD

Black silicone cable.

#### INLINE SWITCH

Injection moulded ABS.

### COLOUR & FINISH

Please note that the colour codes are indicative.



WHITE



LAVENDER



YELLOW



PEACH

## TECHNICAL SPECIFICATIONS


LIGHT SOURCE Integrated LED, 12W, 420lm, 2600K warm white	DIMMABLE Yes	POWER SUPPLY 220-240V AC at 50/60Hz	IP 20	CORD LENGTH 270 cm	SWITCH Inline step dimmer floor switch. Located 50 cm from lamp base.
--	-----------------	--	----------	-----------------------	--

## TEST SPECIFICATIONS\*

FLUX (LUMENS) 420lm	CCT (KELVIN) 2600K, warm white	CRI (1-100) 84
------------------------	-----------------------------------	-------------------

\*Photometrics and the specification shown is taken using the integrated LED bulb fitted in the production luminaire.


## PHOTOMETRICS



## CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following european EN / IEC standards which relate specifically to electrical lighting products including

- EN 61547:2009 (EMC immunity requirements (EMC))
- EN IEC 61000-3-2:2019/A1:2021 (Limits for harmonic current emissions (EMC))
- EN IEC 55015:2019/A1:2020 (Radio disturbance (EMC))
- EN 62031:2020 (Safety specifications for LED modules for general lighting (LVD))
- EN 61000-3-3:2013/A2:2021 (Limits and limitations of voltage changes (EMC))
- EN 60598-2-4:2018 (Particular requirements for portable general purpose luminaires (LVD))
- EN 60598-1:2021 (General requirements and tests for luminaires (LVD))
- EN 62493:2015 (Assessment of lighting equipment related to human exposure to electromagnetic field (LVD))

## COUNTRY OF ORIGIN

China

## DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)