

## **Network Notification**

Notification Date: March 31, 2017

To: OH Medicaid, OH Marketplace Plans, OH Medicare Health Partners

From: CareSource®

Subject: PY-0226, PY-0227, PY-0228 Vitamin D Assay Testing Payment Policy

Effective Date: May 1, 2017

Effective **May 1, 2017**, CareSource will introduce a new Vitamin D Assay Testing payment policy for Ohio Medicaid, Ohio Marketplace Plans and CareSource® MyCare Ohio.

## SUMMARY

Reimbursement policies are designed to assist you when submitting claims to CareSource. The Vitamin D Assay Testing payment policy outlines how CareSource will reimburse participating providers for medically necessary Vitamin D Assay testing. The policy is based upon criteria from the Centers for Medicare and Medicaid (CMS) Local Coverage Determination (LCD) L33996.

## **IMPACT**

- CareSource does not require prior authorization for Vitamin D Assay testing. CareSource may still request documentation to support medical necessity.
- CareSource considers Vitamin D Assay testing medically necessary for patients that meet specific criteria outlined in the policy, based on CMS LCD L33996.
- Reimbursement is based on submitting a claim with the appropriate ICD-10 diagnosis code to match the Vitamin D testing CPT code. If the appropriate ICD-10 diagnosis code is not submitted with the CPT code, the claim will be denied.

## **NEXT STEPS**

The full policy is effective **May 1, 2017**, and may be found on the **CareSource.com** <u>Health Partner Policies</u> web page. To access the policy, select the plan name and state and reference the Vitamin D Assay Testing OH Medicaid, OH Marketplace Plans and Ohio Medicare payment policies. You may refer to the specific policy for more information on:

- Policy criteria and rationale
- Codes, including CPT and ICD-10
- Conditions of Coverage

Thank you in advance for your cooperation in adhering to this new policy requirement.

For the most up to date notifications from CareSource, visit the Updates and Announcements page on CareSource.com.

OH-SP-0052