

# LG REFRIGERATORS INSTALLATION GUIDE

Avoid the hassle of returns! Follow the tips below to make sure your LG appliance will fit in the space intended.

#### Measure First!

Check model specific measurements online at www.lgusa.com

- Measure the area where the product will be located and ensure there is enough clearance on all sides height, width and depth.
- Measure the path of delivery to ensure the product will have enough clearance in all areas from delivery truck to final installation location
- Most product installers require a water shut off valve.
  Please consult your retailer for further information



## Refigerator dimension

Space dimension

**©** Height\_\_\_\_\_\_ **©** Depth\_\_\_\_\_

D Width \_\_\_\_\_



# Installation of Product

If your purchase includes installation, products will be unboxed, put in place, connected to the appropriate sources and leveled.

The new product will be tested to make sure that it works correctly. All packing material will be removed and your home restored to its original condition.

- Water connection kit reccommended.
- 110V grounded 3-prong electrical outlet within 6 ft.
- Working water shut-off valve within 6 feet of units with ice and water dispensing\*
- Door reversal is available if requested at time of purchase\*
- \*Check with your retailer for services provided by installer before the deliver







# LG RANGE INSTALLATION GUIDE

Avoid the hassle of returns! Follow the tips below to make sure your LG appliance will fit in the space intended.

#### Measure First!

Check model specific measurements online at www.lgusa.com



Measure the area where the product will be located and ensure there is enough clearance on all sides - height, width and depth.

Range dimension	
Height	Depth
Width	
_	
Space dimension	
A Height	<b>©</b> Depth
<b>B</b> Width	





## Installation of Product

# Range (Electric)

- Electrical cords are sold separately
- 240V electrical outlets (see diagram)



# Range (Gas)

- New Gas flex connection kit required
- If not using natural gas LP hook ups are required (sold separately)
- 110V grounded 3-prong electrical outlet within 4 feet








# LG DISHWASHER INSTALLATION GUIDE

Avoid the hassle of returns! Follow the tips below to make sure your LG appliance will fit in the space intended.

# Measure First!

Check model specific measurements online at www.lgusa.com

- Measure the area where the product will be located and ensure there is enough clearance on all sides height, width and depth.
- Measure the distance to waterline.







## Installation of Product

If your purchase includes installation, products will be unboxed, put in place, connected to the appropriate sources and leveled.

The new product will be tested to make sure that it works correctly. All packing material will be removed and your home restored to its original condition.


- Dishwasher connection kit required
- Electrical outlet within 4 feet
- Water supply with shut-off valve located under sink or behind unit
- Accessible drain





# MEASURE FIRST AUNDRY INSTALLATION GUIDE

You found the LG washer and dryer that fit your lifestyle—now make sure they fit your space. These LG models are larger than typical front load washers and dryers, so use this guide to ensure your purchase can be successfully delivered and installed.



54.7"

54.7"

for hoses

& ventina

29"

29"

40.8"

40.8"

Washer

Dryer

32.3"

32.3"

57"

#### **CLEAR THE WAY**

Prepare for a smooth delivery by dealing with potential obstacles now. Here are some helpful hints to try:

- If a doorway is too narrow or the door cannot be opened fully, remove the door. If the hinges are fixed pin hinges, they will need to be unscrewed to remove the door.
- For narrow stairs with hand rails, removing the railing may help you meet the minimum 30" clearance.
- If the laundry room isn't deep enough for the appliances plus the dryer duct, you may be able to use special venting components, such as a side vent kit, to reduce venting requirements. See associate for details.





Remember, if ANY part of the delivery path or final installation location is too small to fit this LG washer and dryer, and the obstructions can't be moved, you'll need to notify your retailer BEFORE your scheduled delivery date!



#### **GET IT INSTALLED**

To ensure your installation goes smoothly, here are some final items you'll need to have in place:



#### FOR WASHER:

- 110V grounded 3-prong electrical outlet within 6 feet
- Water supply (hot and cold)
- Drain must be no higher than 96 inches and within 5 feet of the washer
- A clean, solid and level floor surface



#### FOR ELECTRIC DRYER:

- New electrical cord (3- or 4-prong depending on your outlet, sold separately)
- 240V electrical outlet
  - UL approved rigid or semi-rigid dryer venting (never use foil or plastic)



#### FOR GAS DRYER:

- New gas flex connection kit (sold separately) and natural gas line connection
- LP conversion kit (if not using natural gas, sold separately)
- 110V grounded 3-prong electrical outlet within 4 feet
- UL approved rigid or semi-rigid dryer venting (never use foil or plastic)

If your purchase includes installation, your LG washer and dryer will be unboxed, put in place, connected to the appropriate sources and leveled. Then they'll be tested to make sure that everything works correctly. All packing material will be removed and your home restored to its original condition.